

Thule Rapid System Kit 1068

> Instructions





HONDA Civic, 4-dr Sedan, 96-00

HONDA Civic, 4-dr Sedan, *96-99

HONDA Civic Ferio, 4-dr Sedan, 96-99

ACURA EI, 4-dr Sedan, 96-00, 01-05

*North America






ISO 11154-E

141068

C.20121210
519-1068-02



Bring your life

thule.com



1



	X (scale)	X (mm)	X (inch)
HONDA Civic , 4-dr Sedan, 96-00	24,5	896	35 1/4
HONDA Civic , 4-dr Sedan, *96-99	24	890	35
HONDA Civic Ferio , 4-dr Sedan, 96-99	24	890	35
ACURA EI , 4-dr Sedan, 96-00, 01-05	24	890	35




	Y (scale)	Y (mm)	Y (inch)
HONDA Civic , 4-dr Sedan, 96-00	24,5	896	35 1/4
HONDA Civic , 4-dr Sedan, *96-99	24	890	35
HONDA Civic Ferio , 4-dr Sedan, 96-99	24	890	35
ACURA EI , 4-dr Sedan, 96-00, 01-05	24	890	35

2

HONDA Civic, 4-dr Sedan, 96-00
HONDA Civic, 4-dr Sedan, *96-99
HONDA Civic Ferio, 4-dr Sedan, 96-99
ACURA EL, 4-dr Sedan, 96-00, 01-05



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
HONDA Civic , 4-dr Sedan, 96-00	220	700	8 5/8	27 1/2
HONDA Civic , 4-dr Sedan, *96-99	216	700	8 1/2	27 1/2
HONDA Civic Ferio , 4-dr Sedan, 96-99	216	700	8 1/2	27 1/2
ACURA El , 4-dr Sedan, 96-00, 01-05	216	700	8 1/2	27 1/2

