

Kit 1162

DAIHATSU Mira, 3-dr Hatchback, 99-02



DAIHATSU Mira, 5-dr Hatchback, 99-02

DAIHATSU Cuore, 3-dr Hatchback, 99-02



DAIHATSU Cuore, 5-dr Hatchback, 99-02

PERUDOA Kelisa, 5-dr Hatchback, 01-07



480R
754



480



750



DAIHATSU Mira, 3-dr Hatchback, 99-02
 DAIHATSU Cuore, 3-dr Hatchback, 99-02

Max. 50kg/110 lbs

DAIHATSU Mira, 5-dr Hatchback, 99-02
 DAIHATSU Cuore, 5-dr Hatchback, 99-02
 PERUDO A Kelisa, 5-dr Hatchback, 01-07

Max. 50kg/110 lbs

80 km/h
50 Mph
130 km/h
80 Mph
40 km/h
25 Mph
km/h
Mph

THULE Kit XXXX instructions

480R/754

480

750




320 x 4

06 x 4


RR FL FR RL x 1

Kit











	X
DAIHATSU Mira, 3-dr Hatchback, 99-02	25,5
DAIHATSU Mira, 5-dr Hatchback, 99-02	25,5
DAIHATSU Cuore, 3-dr Hatchback, 99-02	25,5
DAIHATSU Cuore, 5-dr Hatchback, 99-02	25,5
PERUDO A Kelisa, 5-dr Hatchback, 01-07	25,5



	Y
DAIHATSU Mira, 3-dr Hatchback, 99-02	25
DAIHATSU Mira, 5-dr Hatchback, 99-02	25
DAIHATSU Cuore, 3-dr Hatchback, 99-02	25
DAIHATSU Cuore, 5-dr Hatchback, 99-02	25
PERUDO A Kelisa, 5-dr Hatchback, 01-07	25




	X inch	X mm
DAIHATSU Mira, 3-dr Hatchback, 99-02	35 5/8"	906 mm
DAIHATSU Mira, 5-dr Hatchback, 99-02	35 5/8"	906 mm
DAIHATSU Cuore, 3-dr Hatchback, 99-02	35 5/8"	906 mm
DAIHATSU Cuore, 5-dr Hatchback, 99-02	35 5/8"	906 mm
PERUDO A Kelisa, 5-dr Hatchback, 01-07	35 5/8"	906 mm









	Y inch	Y mm
DAIHATSU Mira, 3-dr Hatchback, 99-02	35 1/2"	901 mm
DAIHATSU Mira, 5-dr Hatchback, 99-02	35 1/2"	901 mm
DAIHATSU Cuore, 3-dr Hatchback, 99-02	35 1/2"	901 mm
DAIHATSU Cuore, 5-dr Hatchback, 99-02	35 1/2"	901 mm
PERUDO A Kelisa, 5-dr Hatchback, 01-07	35 1/2"	901 mm

4


DAIHATSU Mira, 3-dr Hatchback, 99-02
 DAIHATSU Cuore, 3-dr Hatchback, 99-02





DAIHATSU Mira, 5-dr Hatchback, 99-02
 DAIHATSU Cuore, 5-dr Hatchback, 99-02
 PERUDOA Kelisa, 5-dr Hatchback, 01-07






5



	X mm	Y mm	X inch	Y inch
DAIHATSU Mira, 3-dr Hatchback, 99-02	305 mm	700 mm	12"	27 1/2"
DAIHATSU Mira, 5-dr Hatchback, 99-02	305 mm	700 mm	12"	27 1/2"
DAIHATSU Cuore, 3-dr Hatchback, 99-02	305 mm	700 mm	12"	27 1/2"
DAIHATSU Cuore, 5-dr Hatchback, 99-02	305 mm	700 mm	12"	27 1/2"
PERUDOA Kelisa, 5-dr Hatchback, 01-07	305 mm	700 mm	12"	27 1/2"



DAIHATSU Mira, 3-dr Hatchback, 99-02
DAIHATSU Cuore, 3-dr Hatchback, 99-02



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra át växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta bagazníka dokręcaj dokręcaj naprzemiennie.

SK Dofahujtie striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้้นในแบบสลับ



6



480R/754




480





*
3 Nm




*





*
≈ 3 Nm




750




4 Nm




i




1




2




i




1




2




i



1



2



THULE
SWEDEN
**ONE
KEY
SYSTEM**



- 544 (x4)
- 596 (x6)
- 588 (x8)
- NA 510 (x10)
- EUR 452 (x12)
- ASIA 452 (x12)



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com