







Thule Rapid System Kit 1308

> Instructions

LEXUS ES 300, 4-dr Sedan, 02-06 / *02-03

LEXUS ES 330, 4-dr Sedan, *04-06

*North America



ISO 11154-E


141308

C.20130617
519-1308-03

Bring your life
thule.com



93 x4



520 x4






x1



x1

1

	X (scale)	X (mm)	X (inch)
LEXUS ES 300 , 4-dr Sedan, 02-06 / *02-03	35,5	1006	39 ⁵ / ₈
LEXUS ES 330 , 4-dr Sedan, *04-06	35,5	1006	39 ⁵ / ₈





	Y (scale)	Y (mm)	Y (inch)
LEXUS ES 300 , 4-dr Sedan, 02-06 / *02-03	36,5	1016	40
LEXUS ES 330 , 4-dr Sedan, *04-06	36,5	1016	40


2

LEXUS ES 300, 4-dr Sedan, 02-06 / *02-03

LEXUS ES 330, 4-dr Sedan, *04-06



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
LEXUS ES 300 , 4-dr Sedan, 02-06 / *02-03	230	670	9	26 ³/₈
LEXUS ES 330 , 4-dr Sedan, *04-06	230	670	9	26 ³/₈

