





Thule Rapid System Kit 1612

> Instructions

VOLVO S60, 4-dr Sedan, 10–18

VOLVO S60 Cross Country, 4-dr Sedan, 15–18



ISO 11154-E

141612

C.20190503
519-1612-03

Bring your life
thule.com




74 x1

75 x1

140 x1

141 x1



1104 x1


1105 x1

1119 x1

1120 x1






x1



x1

1

	X (scale)	X (mm)	X (inch)
VOLVO S60 , 4-dr Sedan, 10-18	42	1071	42 ¹ / ₈
VOLVO S60 Cross Country , 4-dr Sedan, 15-18	42	1071	42 ¹ / ₈





	Y (scale)	Y (mm)	Y (inch)
VOLVO S60 , 4-dr Sedan, 10-18	41	1061	41 ³ / ₄
VOLVO S60 Cross Country , 4-dr Sedan, 15-18	41	1061	41 ³ / ₄


2

VOLVO S60, 4-dr Sedan, 10-18

VOLVO S60 Cross country, 4-dr Sedan, 15-18



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
VOLVO S60, 4-dr Sedan, 10-18	200	770	7 ⁷/₈	30 ³/₈
VOLVO S60 Cross Country, 4-dr Sedan, 15-18	200	770	7 ⁷/₈	30 ³/₈

